



# Indiana Department of Environmental Management

## 2006 Annual Compliance Report

### for Indiana Public Water Supply Systems

IDEM Drinking Water Branch

September 2007


## Introduction

The 1996 Amendments to the Safe Drinking Water Act require each state to prepare an annual report of violations of the national primary drinking water regulations for public water supplies. The annual reports are intended to provide a summary of violations of maximum contaminant levels (MCL's), treatment techniques, variances and exemptions<sup>1</sup>, and monitoring and reporting violations (M&R). This report includes information for the time period January 1, 2006 through December 31, 2006.

## Public Water Supply Information

There are approximately 4,366 active public water supplies in Indiana. Graph 1 shows the distribution of public water systems by the system type. Drinking water in Indiana comes from ground water sources via wells or surface water systems such as lakes and rivers. Some public water systems purchase water from other public water supplies and distribute the water to their customers. Ninety-seven percent (97%) of all public water systems are served by ground water systems. However, only fifty-six percent (56%) of the total population is served by systems utilizing ground water.

Graph 1. Number and Type of Public Water Systems in Indiana



<sup>1</sup> IDEM did not issue any variances or exemptions in 2006, therefore there are no violations for variances and exemptions to address in this summary report.

## Drinking Water Monitoring Requirements

The Safe Drinking Water Act and the Indiana Public Water Supply Supervision Program mandate the monitoring and reporting of various bacteriological and chemical contaminants that may be found in drinking water. The contaminants are categorized as total coliform, nitrate (NO<sub>3</sub>), inorganic chemicals (IOCs), volatile organic compounds (VOCs), synthetic organic compounds (SOCs), radionuclides (Rads), lead and copper (Pb/Cu), and disinfectants/disinfection byproducts such as total trihalomethanes (TTHMs) and haloacetic acids (HAA5). The levels of these contaminants in drinking water are compared to maximum contaminant levels (MCLs) which are set by the Environmental Protection Agency (EPA) and the State, to ensure that water is safe for human consumption. See Table 2 on the back page for a list of MCLs and action levels for all of the regulated contaminants.

Surface water systems are also required to comply with the provisions of the Interim Enhanced Surface Water Treatment Rule (IESWTR) and the Long Term1 Enhanced Surface Water Treatment Rule (LT1ESWTR). These rules establish regulations pertaining to treatment techniques that require systems to properly treat their water. If a PWS fails to properly treat its water or cannot control the levels of such contaminants as turbidity, bacteria, viruses, or parasitic microorganisms the system has violated the provisions of the Safe Drinking Water Act and is assigned a Treatment technique (TT) violation. All groundwater and purchase water systems that provide disinfection are required to monitor for disinfectant/disinfection byproducts rule (D/DBPR).

If a system has an MCL or TT violation, that system becomes a priority for follow-up by the Drinking Water Branch to ensure the violation is corrected.

## Violation Summary

Table 1 provides a summary of the number of MCL, M&R, and TT violations for all of the regulated drinking water contaminants for the 2006 calendar year (January 1, 2006 - December 31, 2006). The table also provides a summary of the number of systems in violation for each contaminant group.

**Table 1. 2006 Violations Summary for Indiana Public Water Supplies**

		MCL		Treatment Technique		Monitoring & Reporting		Consumer Confidence	
		Violations	Systems In Violation	Violations	Systems in Violation	Violations	Systems In Violation	Violations	Systems in violation
<b>CCR</b>	<b>CWS</b>							28	20
<b>Pb/Cu</b>	<b>CWS</b>			4	4	63	30	<b>PN NPDWR Violations</b>	
	<b>NTNC</b>			5	4	**56	38		
<b>SWTR</b>	<b>CWS</b>			1	1	6	2	2	2
	<b>NTNC</b>			4	1	7	1		
	<b>TNC</b>			5	2	7	4		
<b>VOC</b>	<b>CWS</b>	0	0			420	13		
	<b>NTNC</b>	4	1			**567	23		
<b>IOC</b>	<b>CWS</b>	31	14			134	32		
	<b>NTNC</b>	43	29			229	43		
	<b>TNC</b>	31	29			259	250		
<b>SOC</b>	<b>CWS</b>	0	0			149	13		
	<b>NTNC</b>	0	0			408	13		
<b>TCR</b>	<b>CWS</b>	68	55			98	68		
	<b>NTNC</b>	61	54			91	81		
	<b>TNC</b>	316	281			1286	907		
<b>Rads</b>	<b>CWS</b>	0	0			0	0		
<b>DBP</b>	<b>CWS</b>	47	16	5	4	25	12		
	<b>NTNC</b>	3	2	0	0	4	2		
	<b>TNC</b>	0	0	0	0	2	1		
<b>Totals</b>	<b>CWS</b>	146	84	10	9	895	138	30	22
	<b>NTNC</b>	111	80	9	5	1313	151	0	0
	<b>TNC</b>	347	306	5	2	1603	1006	0	0

Total Number of Systems in Violation*	CWS	232
	NTNC	207
	TNC	1178
	Total	1617

Total Number Of Violations	CWS	1125
	NTNC	1434
	TNC	1958
	Total	4517

**LEGEND**


<b>MCL</b> =Maximum Contaminant Level Violation	<b>SWTR</b> =Surface Water Treatment Rule	<b>VOC</b> =Volatile Organic Compounds (21 Chemicals)	<b>NO3</b> =Nitrate
<b>Pb/Cu</b> =Lead and Copper	<b>SOC</b> =Synthetic Organic Compounds (27-30 Chemicals)	<b>TNC</b> =Transient Noncommunity	<b>Rads</b> =Radionuclides
<b>IOC</b> =Inorganic Chemicals (10-12 Chemicals)	<b>TTHM</b> =Total Trihalomethanes	<b>CWS</b> =Community Water System	
<b>TCR</b> =Total Coliform Rule	<b>NTNC</b> =Nontransient Noncommunity Water System	<b>CCR</b> =Consumer Confidence Report	

\* This number represents the total number of systems in violations for 2006. However, this number includes some systems with multiple violations across contaminant groups.

\*\* These numbers include some Nontransient systems that were subsequently changed to Transient & are reflected in the TNC Violation totals.

An evaluation of the 2006 Annual Compliance Report (ACR) shows the compliance rates at about seventy percent (70%) for M/R violations, eighty-nine percent (89%) for MCLs, and nearly perfect compliance (approximately 99.6%) for Treatment Technique violations. While approximately thirty percent (30%) of the total number of active water systems have monitoring and reporting violations for at least one contaminant, the majority of the systems (approximately 73%) are transient public water systems.

The overall compliance rate, representing public water systems without any type of violation for 2006 (including M/R, MCL, TT, and CCR violations), shows sixty-three percent (63%) are totally compliant. This is an improvement of eleven percent (11%) over the 2001 compliance rate, when the small system laboratory assistance program (SSLAP) was first initiated. This improvement in compliance rate was attributed to the courtesy reminder postcards and letters, follow-up calls by staff, and the use of the SSLAP. The SSLAP provides sampling assistance to systems serving populations less than 100 people for coliform bacteria and nitrate contaminants. Since IDEM instituted the SSLAP in 2001, the compliance rate for monitoring and reporting has gone from fifty-six percent (56%) to seventy percent (70%). These compliance rates are demonstrated in the following graph:



## Consumer Confidence Reports

All community public water systems are required to develop and distribute to their customers a brief annual water quality report, called a consumer confidence report (CCR). The community water system is required to deliver a copy of the CCR to its consumers by July 1<sup>st</sup>. The purpose of the report is to inform and educate customers on the status and quality of their public water supply. The report contains information on the sources of drinking water, the levels of any detected contaminants, and educational information regarding drinking water.

## Compliance Assistance Efforts

The Drinking Water Branch currently assists public water supply owners and operators to promote compliance with the drinking water regulations. Assistance is provided through site visits, correspondence, telephone contact, educational presentations and materials, and, the small system laboratory assistance program. The following is a summary of the number of site visits that were conducted in 2006 by the Drinking Water Branch staff:

<b>Sanitary Surveys</b>	<b>1293</b>
<b>Well Site Surveys</b>	<b>119</b>
<b>Technical Assistance Visits</b>	<b>1121</b>
<b>MCL Follow-Up Visits</b>	<b>608</b>

The focus of the compliance assistance efforts has been primarily directed to community and nontransient noncommunity public water systems. Utilizing resources generated through fees, The Drinking Water Branch continues to improve its ability to provide assistance to all public water systems.

## For More Information

If you have any questions concerning this report or would like the lists of public water supplies that have had violations in 2006, please contact the Drinking Water Branch at (317) 308-3280. Additional copies of this report are available on the Indiana Department of Environmental Management, Office of Water Management, Drinking Water Branch web-site at <http://www.in.gov/idem/compliance/water/drinkingwater/compeval/> or by contacting the Drinking Water Branch at (317) 308-3280.

Additional information regarding the quality of your drinking water may be obtained by contacting your local public water supplier. Please contact your local public water supply for a copy of the latest consumer confidence report (CCR) for your public water system.

For more information regarding all aspects of the environment in Indiana, IDEM publishes an annual State of the Environment Report. Copies of the report are available via the internet at <http://www.epa.gov/r5water/sotw2002.htm> or by calling (800) 451-6027 ext. 3-1044. Also, for general information regarding drinking water you may contact the EPA Safe Drinking Water Hotline by calling (800) 426-4791.

**TABLE 2**  
**REGULATED CHEMICAL DRINKING WATER CONTAMINANTS**  
**MAXIMUM CONTAMINANT LEVELS**

Contaminant	MCL	Contaminant	MCL	Contaminant	MCL
Inorganic Chemicals (IOCs)	mg/l	Volatile Organic Compounds (VOCs)	ug/l	Synthetic Organic Compounds (SOCs)	ug/l
Antimony	0.006	1,1-Dichloroethylene	7	2,4-D	70
Arsenic	0.01	1,1,1-Trichloroethane	200	2,4,5-TP (Silvex)	50
Barium	2	1,1,2-Trichloroethane	5	Alachlor	2
Beryllium	0.004	1,2-Dichloroethane	5	Atrazine	3
Cadmium	0.005	1,2-Dichloropropane	5	Benzo(a)pyrene	0.2
Chromium	0.1	1,2,4-Trichlorobenzene	70	Carbofuran	40
Cyanide (free)	0.2	Benzene	5	Chlordane	2
Fluoride (Adjusted) *	2	Carbon Tetrachloride	5	Dalapon	200
Fluoride (Natural) *	4	Cis-1,2-Dichloroethylene	70	Di(2-ethylhexyl)adipate	400
Mercury	0.002	Dichloromethane	5	Di(2-ethylhexyl)phthalate	6
Nickel	---	Ethylbenzene	700	Dibromochloropropane (DBCP)	0.2
Selenium	0.05	Monochlorobenzene	100	Dinoseb	7
Thallium	0.002	o-Dichlorobenzene	600	Dioxin (2,3,7,8-TCDD)	3X10-5
Nitrate	10	p-Dichlorobenzene	75	Diquat	20
Nitrite	1	Styrene	100	Endothall	100
Total Nitrate & Nitrite	10	Tetrachloroethylene	5	Endrin	2
		Toluene	1000	Ethylene Dibromide (EDB)	0.05
Sodium *	No MCL	Trans-1,2-Dichloroethylene	100	Glyphosate	700
		Trichloroethylene	5	Heptachlor	0.4
<b>Asbestos</b>		Vinyl Chloride	2	Heptachlor epoxide	0.2
Asbestos	7 MFL**	Xylenes (total)	10,000	Hexachlorobenzene	1
				Hexachlorocyclopentadiene	50
				Lindane	0.2
				Methoxychlor	40
<b>Lead &amp; Copper</b>		<b>Disinfection Byproducts</b>		Oxamyl (Vydate)	200
Lead Action Level	0.015	Total Trihalomethanes ****	80	PCBs	0.5
Copper Action Level	1.3	Haloacetic Acids 5*****	60	Pentachlorophenol	1
				Picloram	500
<b>Radionuclides *</b>	<b>PCi/l</b>			Simazine	4
Gross Alpha	15			Toxaphene	3
Gross Alpha Action Level	5				
Radium-226 Action Level	3				
Radium-226 & Radium-228 (combined)	5				
Manmade	***				

\* Community Water Systems Only

\*\* MFL=million fibers/liter > 10 micron

\*\*\* The average annual concentration of beta particle and photon radioactivity from manmade radionuclides in drinking water shall not produce an annual dose equivalent to the total body or any internal organ greater than four (4) millirem per year.

\*\*\*\* The sum of the concentrations of bromodichloromethane, dibromochloromethane, tribromomethane (bromoform), and trichloromethane (chloroform).

\*\*\*\*\*The sum of the concentrations of monochloroacetic acid, dichloroacetic acid, trichloroacetic acid, bromoacetic acid, and dibromoacetic acid.

<b>Code Type</b>	<b>-</b>	<b>Description</b>
01	-	MCL, Single Sample
02	-	MCL, Average
03	-	Monitoring, Regular
21	-	MCL, Acute (TCR)
22	-	MCL, Monthly (TCR)
23	-	Monitoring, Routine Major (TCR)
24	-	Monitoring, Routine Minor (TCR)
25	-	Monitoring, Repeat Major (TCR)
26	-	Monitoring, Repeat Minor (TCR)
51	-	Initial Tap Sampling (Lead and Copper)
52	-	Follow Up or Routine Tap (Lead and Copper)
41	-	Treatment Techniques (Surface Water)
65	-	Public Education
71	-	Consumer Confidence Report
C	-	Community Water System
NTNC	-	Non-Transient Non-Community Water System
NC	-	Transient Water System
GW	-	Ground Water System
GWP	-	Ground Water Purchased System
SW	-	Surface Water System
SWP	-	Surface Water Purchased System